

KFNS 37692 iDE-1

PerfectCool fridge-freezer

For that special look in the kitchen thanks to Perfect fresh Pro and FlexiLight.



- Professional storage-even fresher with PerfectFresh Pro
- Individually adjustable glass shelf lighting thanks to FlexiLight
- No icing up of food and no need to defrost thanks to Frost free
- Store food anywhere in the refrigerator - Dynamic cooling
- Ice cubes thanks to the plumbed IceMaker

EAN: 4002515800683 / material number: 10595620

Appliance category	
Fridge-freezer	•
Construction type	
Built-in	•
Built-in integrated	•
Door hinge side	right
Convertible hinging	•
Can be installed side-by-side	•
Design	
Type of lighting	FlexiLight
PerfectFresh Pro LED lighting	•
Control panel	
Freshness system	PerfectFresh Pro
ComfortClean	•
DynaCool	•
NoFrost	•
DuplexCool	•
VarioRoom	•
SoftClose door closing damper	•
SelfClose	•
IceMaker	•
Plumbed water connection	•
Control	
Electronic temperature display and control	TouchControl
Fridge compartment can be switched off	•
Independent temperature control of fridge and freezer compartments	•
Super Cooling	•
SuperFrost	•
No. of temperature zones	3
Sabbath mode	•
Fridge / Fridge compartment	
Height-adjustable toughened glass shelves	•
No. of shelves	3
of which illuminated	2
No. of PerfectFresh drawers	2
Full width storage racks	1
Inner door racks for bottles	1
Freezer / Freezer compartment	
No. of removable freezer drawers/baskets	Qty 4
Efficiency and sustainability	
Energy Star Qualified	•
Safety	
Lock function	•
Acoustic door alarm	•
Acoustic temperature alarm, freezer section	•
Optical door alarm	•
Optical temperature alarm	•
Power cut indication for freezer compartment	•

KFNS 37692 iDE-1

PerfectCool fridge-freezer

For that special look in the kitchen thanks to Perfect fresh Pro and FlexiLight.




Technical data	
Appliance width in in.(mm)	22 1/8 (559)
Appliance height in in.(mm)	69 3/4 (1,770)
Appliance depth in in.(mm)	21 1/2 (544)
Type of mounting	Fixed door
Maximum fridge compartment door front weight in lbs. (kg)	38 (17)
Maximum freezer compartment door front weight in lbs. (kg)	27 (12)
Fridge compartment volume in l	111
4-star freezer compartment volume in l	68
PerfectFresh zone volume in gal(l)	17.96 (68)
Storage time in case of fault	14
Freezing capacity in h/lbs. (h/kg)	23 (10.0)
Current consumption in milliampere (mA)	2,300
Voltage in V	115
Fuse rating in A	10
Wire length in ft (m)	6 (2.1)
Standard accessories	
Butter dish	•
Egg rack	•
Freezer packs	•


KFNS 37692 iDE-1

PerfectCool fridge-freezer

For that special look in the kitchen thanks to Perfect fresh Pro and FlexiLight.



KFN37692iDE, KFNS37692iDE (installation drawings)



FNS37492iE, KFN37692iDE, KFSN37692iDE, Water connection placement 2013 (installation drawings)